ENGINEERING DEPARTMENT

BUREAU OF SANITARY ENGINEERING, BANGALORE.

Notification dated 26th January 1937.

Notice is hereby given that sealed tenders will be received at the Office of the Sanitary Engineer, Bureau of Sanitary Engineering, Bangalore, up to 1 P.M., on 19th February 1937, for constructing drains in Goribidnur Town. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of April 1937.

2. The plans, detailed estimate and conditions may be seen at the Sanitary Engineer's Office between the hours of 11 A.M. and 5 P.M. on all office days.

3. Tenders should be submitted on printed forms which may be obtained from the Sanitary Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 345 in cash (no cheques will be accepted) as earnest money, and be superscribed "Tender for constructing drains in Goribidnur Town," in default of which the tenders will be rejected.

5. The final acceptance of the tender will rest with the Sanitary Engineer in Mysore, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond, in default of which his tender will be considered cancelled and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Sanitary Engineer's Office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Charges on account of scaffolding materials, implements for setting out, barricading, clearing site, supply of water, etc., that may be found necessary during execution will not be paid for separately but should be borne by the contractor.

10. Rates for non-tendered and non-estimated items shall be as per schedule rates of the department or those fixed by the Sanitary Engineer after working out data with not more than 10 per cent for contractor's profit.

11. In all matters not specifically provided for and in all matters of disputes about rates, quantities, measurements, quality of work, etc., and in all disputes of any kind, the decision of the Director of Health will be final and legally binding.

Abstract estimate of quantities of work for constructing drains in Goribidnur Town.

No.	Particulars	Unit	Quantity
1	Constructing silk pattern drains rough dressed burnt stone slabs cheeks at sides and surki concrete bed by forming channel at the centre of the concrete bed and surface plastered over with ½" cement mortar proportion, cement: sand = 1 : 2, joints of slabs cement pointed, including earthwork excavation of the drains packing at back of slabs, etc., complete as per designs		
	Design of 7" (2) Section	R.ft.	500
	Do 3" do	„	490
2	Laying stoneware pipes of 12" dia. jointing with cement including earthwork excavation and refilling, etc., and including cost of pipes (R_1)—(R_2)	„	400
3	Constructing circular manhole of 4' dia. inside with C.I. covering frame and lid, etc., complete, with 1 ft., thick bed of surki concrete for 7' diameter, sides with burnt brick in cement mortar 1 : 4 proportion of 1 ½' thick, top portion conical section cement plastering 1 : 2 proportion ½" thick inside and exposed parts outside, including supplying and fixing C.I. steps inside the manhole at 1'—3" intervals including trench excavation, slush removing, shoring, water bailing and refilling the back portion and watching, etc., complete, manhole of about 8' deep ..	No.	1

No.	Particulars	Unit	Quantity
4	Dismantling size stone in clay	C.ft.	1,593
5	Removing and refixing covering slabs over drains	S.ft.	877
4	Forming road with metal, gravel including consolidation	S.yd.	89
7	New size stone in chunam mortar side walls of the drain	C.ft.	5,369
	Pointing with cement mortar 1 : 2 porportion	Sqr.	46.94
	Earthwork excavation	C.yd.	199

B. R. GARUDACHAR,
Sanitary Engineer.

BUILDINGS DIVISION, BANGALORE.

Notification dated 26th January 1937.

It is hereby notified for general information of the public that the scrap machinery and boilers lying in the quadrangle of Medical School as per details noted hereunder will be sold by public auction on 18th February 1937 by the undersigned in the premises of Medical School, Fort, Bangalore.

2. The materials are arranged in lots and they will be knocked down to the highest bidder.

3. The purchaser of any lot should pay the full amount of the bid and remove the materials from the spot within 15 days from the date of sale. A deposit of Rs. 10 in cash has to be furnished in advance before bidding, which will be returned immediately after auction sale to the unsuccessful bidder. While removing the materials, it should be seen that no damage is caused to the building.

Details of articles	No.	Quantity
1. 10 H.P. Ruston Proctor & Co., public boiler mounted on wheels	1	Scrap.
2. 12 H.P. Pansomes Sins and Jafferies, England, portable boilers on wheels	1	
3. 12 H.P. Clayton and Shuttle Work, England, portable boiler mounted on wheels	1	
4. Worthington double acting steam pump plunger pump, 10×6×10	1	
5. Tangye Birmingham, double acting steam pump	1	
6. Henry R. Worthington, New York, double acting steam pump, 6×4×6" 152×102×152.	1	
7. Bed plate for steam pump	1	

N. KRISHNIENGAR,
Executive Engineer.

BANGALORE DIVISION.

Notification dated 25th January 1937.

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Bangalore Division, up to 2 P.M., on 23rd February 1937, for improving the Government Industrial School at Chennapatna. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of June 1937.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office at Bangalore between the hours of 11 A.M. to 5 P.M.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 200 in cash or Government Promissory Notes, as earnest money, and be superscribed "Tender for Improving the Government Industrial School at Chennapatna" in default of which, tenders will be rejected.

5. The final acceptance of any tender will rest with the Executive Engineer who does not bind

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond after depositing an additional sum of Rs. 200 in default of which, his tender will be considered cancelled, and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Executive Engineer's Office in due course. No enquiry regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Rates once tendered will not be enhanced on any account.

10. Rates for non-tendered and non-estimated items shall be as per schedule rates of the department or those fixed by the Executive Engineer after working out data with not more than 10 per cent for contractor's profit.

11. In all matters not specifically provided for and in all matters of dispute about rates, quantities, measurements, quality of works, etc., and in all disputes of any kind, the decision of the Executive Engineer will be final and legally binding.

12. Quotations must be given in words as well as in figures and they must be in specific term of unit shown against each item of work. Any quotation quoted at so much percentage less or more than estimated rate will not be accepted.

Approximate quantities of work for improving the Government Industrial School, Channapatna.

Sl. No.	Items of work	Unit	Quantity	Rate as sanctioned	Rate as quoted in	
					figures	words
	LACQUERWARE CLASS ROOM.			Rs. a. p.	Rs. a. p	
1	Removing the existing thatched roof expanded metal, etc., and stacking ...	L.S.	..	10 0 0		
2	Earthwork excavating foundation and filling in basement	C.yd.	17	0 3 0		
3	Burnt stone jelly concrete in mortar ..	C.ft.	153	0 3 9		
4	Size stone in clay with bond stones at every 6 ft. in each layer	"	184	0 3 6		
5	Burnt brick in clay	"	246	0 3 6		
6	Burnt stone slabs 6" thick, one line dressed and set in motar	S.ft.	101	0 5 0		
7	Mysore teak wood wrought and put up with two coats of wood oiling complete	C.ft.	62·87	5 0 0		
8	Mysore teakwood doors; panelled, with two coats of silicate painting. ..	S.ft.	19½	2 0 0		
9	Mysore teakwood window frames with expanded metal, teakwood moulding, etc., with two coats of silicate painting complete	"	150	0 12 0		
10	Plastering with lime mortar ¾" thick ..	Sqr.	7·16	3 0 0		
11	First class Mangalore tile roofing over 2"×1" teakwood reepers with eve tiles fixed by a teak batton, and wood oiling, etc., complete	"	8·38	24 0 0		
12	Cornice 6"×6", with burnt brick in mortar including plastering and white washing, etc.	R.ft.	17	0 5 0		
13	Binding wall over roof, with brick in mortar including plastering, white washing, etc.	"	17	0 4 0		
14	Flooring with 1½" cement concrete on 3" burnt stone jelly concrete with ½" thick cement plastering mixed with red orchere cutting diagonals, etc., complete	Sqr.	5·84	22 0 0		
15	Teakwood eve board 8"×½" with two coats of silicate painting	R.ft.	49¼	0 4 6		

Sl. No.	Items of work	Unit	Quantity	Rate as sanctioned	Rate as quoted in figures	Rate as quoted in words
				Rs. a. p.	Rs. a. p.	
	2. HALEWOOD STORE.					
1	Removing the existing Baliga poles, wire-net, etc.	L.S.	..	10 0 0		
2	Earthwork excavating foundation and filling in basement	C.yd.	45	0 3 0		
3	Burnt stone jelly concrete in mortar	C.ft.	490	0 3 9		
4	Size stone in clay with bond stones at every 6 ft. in each layer	,,	527	0 3 6		
5	Burnt brick in clay	,,	1,698	0 3 6		
6	Burnt stone slabs 6" thick, 2 line dressed and fixed in mortar	S.ft.	123	0 5 0		
7	Mysore teakwood wrought and put up, including two coasts of wood oiling	C.ft.	113·87	5 0 0		
8	Roofing with 1st class Mangalore tiles on teakwood reepers 2"×1" with wood oiling and eve tiles fixed by a teak batton	Sqr.	15·66	24 0 0		
9	Plastering with lime mortar ¾" thick	,,	30·21	3 0 0		
10	Binding wall over roof, with burnt brick in mortar including plastering and white washing	R.ft.	114	0 4 0		
11	Flooring with 1½" cement concrete over 3" burnt stone jelly concrete bed, with ½" thick cement plastering, mixed with red orchere, threading diagonals, etc., complete	Sqr.	11·45	22 0 0		
12	Constructing masonry pillars with burnt brick in mortar, including base, capital, etc., complete,	No.	11	7 0 0		
13	Teakwood eve board 8"×½" with two coats of silicate painting	R.ft.	98	0 4 6		
14	Cement pointing to basement	Sqr.	0·93	3 4 0		
15	White washing, two coats	,,	30·21	0 3 9		
16	Cornice 6"×6" with burnt brick in mortar including plastering white washing, etc.	R.ft.	84	0 5 0		
17	Burnt brick in clay compound wall	L.S.	..	30 0 0		
18	Gate pillars as per design	,,	..	20 0 0		
19	Iron gate: one, with fittings, etc., complete	,,	..	100 0 0		
	COMPOUND WALL.					
1	Reinforced compound wall 4' high including posts 6' apart fixed in cement, etc., complete	R.ft.	276	2 0 0		

N. SUBBA RAO,
Executive Engineer.

KOLAR DIVISION.

Abstract Notification dated 16th January 1937.

The attention of the public is invited to the notification in pages 120-121, in Part VI of the issue of *Mysore Gazette*, dated 28th January 1937, inviting tenders for the work of consrtucting a Line Inspector's quarters at Kolar Gold Fields, Bowringpet Taluk.

The last date fixed for the receipt of tenders in this Office is 15th February 1937.

Notification dated 29th January 1937.

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Kolar Division, up to 2 P.M. on 15th February 1937, for the constructing of High School building at Robertsonpet Sanitary Board area, Kolar Gold Fields. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of May 1937.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office at Kolar, between the hours of 11 A.M. to 5 P.M. on office day.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 700 in cash only as earnest money, and be superscribed "Tender for the construction of High School building at Robertsonpet Sanitary Board area, Kolar Gold Fields." in default of which, tenders will be rejected.

5. The final acceptance of any tender will rest with the Superintending Engineer, Mysore Circle, Mysore, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to executo the usual contract bond; furnishing a security deposit of Rs. 1,400 in default of which, his tender will be considered cancelled, and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Executive Engineer's Office in due course. No enquiry regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Rates once tendered will not be enhanced on any account.

10. Rates for non-tendered and non-estimated items shall be as per schedule rates of the Department or those fixed by the Executive Engineer after working out data with not more than 10 per cent for contractor's profit.

11. In all matters not specifically provided for and in all matters of dispute about rates, quantities, measurements, quality of works, etc., and in all disputes of any kind, the decision of the Executive Engineer will be final and legally binding.

12. Quotations must be given in words as well as in figures and they must be in specific term of unit shown against each item of work. Any quotation quoted at so much percentage less or more than estimated rate will not be accepted.

13. Progress to the extent of Rs. 5,000 has to be shown every month.

Abstract estimate for constructing a High School Building at Robertsonpet, Kolar Gold Fields in Kolar District.

No.	Items of work	Unit	Rate	Quantity	Cost
			Rs. a. p.	Rs.	
1	Earthwork excavation for foundation in gravally soil	C.yds.	0 3 6	210	
2	Burnt stone jelly concrete in chunnam	C.ft.	0 4 0	1,360	
3	Burnt stone in chunnam foundation	„	0 4 0	3,485	
4	Burnt stone in chunnam in basement with bond stones	„	0 4 0	1,473	
5	Burnt brick in chunnam in superstructure with bond stones	„	0 4 6	7,299	
6	Burnt stone slabs 6″ thick with one line dressing and fixed in mortar	S.ft.	0 5 0	875	
7	Cut stone pillars 9″ square 10′ high with base and capital with 2 line drssing	No.	15 0 0	28	
8	Teakwood windows with half glazed and half pannelled shutters 1¼″ iron bars with iron fittings, etc., complete	S.ft.	2 4 0	433	
9	Teakwood doors with pannelled shutters 1½″ thick complete with iron fittings	„	1 12 0	416	
10	Chunnam plastering fine	Sqr.	3 8 0	139·17	

No.	Item of work	Unit	Rate	Quantity	Cost
11	White washing, 2 coats	Sqr.	0 4 6	139·17	
12	Steel joist hoisting fixing with one coat of painting, etc., complete for R.B.C. roof ..	Cwts.	12 0 0	105·37	
13	Roofing with reinforced brick concrete flat and brick on edge with tension and distribute rods with plaster, etc., complete	Sqr.	65 0 0	46·24	
14	Arch work with burnt brick in chunnam with voussient, etc., comlpete	C.ft.	0 6 0	42	
15	Brick cornice alround out sides	R.ft.	0 7 0	597	
16	Burnt brick in mortar parapet 9" thick 2½' high with plastering, etc., complete	„	1 2 0	597	
17	Flooring with burnt stone slabs 9" square flooring tiles on 3" concrete and cement pointing	Sqr.	30 0 0	38·99	
18	Filling in basement with earth, watering and tamping, etc., complete	C.yd.	0 2 9	217	
19	Cement painting to basement building alround	Sqr.	3 8 0	5·70	
20	Teakwood shelves with panelled shutters, etc., complete	S.ft.	2 0 0	35	
21	Best slate grey painting	Sqr.	4 0 0	17·68	
22	Ornamental finish of the front portion of the entrance hall	L.S.	Rupees		
23	Supplying and fixing a flag staff with pulley, etc., complete	„	Rupees		

P. RAJAGOPALAN,
Executive Engineer.

SHIMOGA DIVISION.

Abstract Notification dated 17th January 1937.

The attention of the public is hereby invited to the advertisement in pages 87-88, Part VI of the *Mysore Gazette*, dated 21st January 1937, calling for tenders for "Restoring Hosagunda Doddakere, Register No. 1222 of Sagar Taluk".

Each tender must be accompanied by a Treasury challan for having deposited Rs. 140 as earnest money.

The last date for receiving tenders is 2 P.M. on Monday the 8th February 1937.

P. SUBBA RAO,
Executive Engineer.

KADUR DIVISION.

Notification dated 28th January 1937.

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Chikmagalur Division, up to 15th February 1937, for the construction of Kitchen Block and Yagashala in rear portion of Sri Ganapathy Temple at Chikmagalur. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of May 1937.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office at Chikmagalur between the hours of 11 A.M. and 5 P.M.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rupees two hundred in cash or Government Promissory Notes, as earnest money, and be superscribed "Tender for the construction of Kitchen Block and Yagasala of Sri Ganapathy Temple" in default of which, tenders will be rejected. No notice will be taken of requisitions to adjust the earnest money out of any outstanding

5. The final acceptance of any tender will rest with the Executive Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond; in default of which, his tender will be considered cancelled, and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Executive Engineer's Office in due course. No enquiry regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Rates once tendered will not be enhanced on any account.

10. Rates for non-tendered and non-estimated items shall be as per schedule rates of the Department or those fixed by the Executive Engineer after working out data with not more than 10 per cent for contractor's profit.

11. In all matters not specifically provided for and in all matters of dispute about rates, quantities, measurements, quality of works, etc., and in all disputes of any kind the decision of the Executive Engineer will be final and legally binding.

12. Quotations must be given in words as well as in figures and they must be in specific term of unit shown against each item of work. Any quotation quoted at so much percentage less or more than estimated rate will not be accepted.

Abstract cost of constructing a Kitchen Block (Yagashala) in rear of Sri Ganapathy Temple at Chikmagalur.

No.	Items of work	Unit	Rate	Quantity	Cost
			Rs. a. p.		Rs.
1	Earthwork excavation for foundation ..	C.yd.	0 3 0	49	9
2	Concrete in stone mortar	C.ft.	0 4 0	341	85
3	Size stone in mortar	,,	0 5 3	747	245
4	Burnt brick in mortar	,,	0 5 3	1,352	443
5	Providing and fixing doors with honne wood shutters and teak wood frame with hinges, etc., complete	S.ft.	1 8 0	102	152
6	Providing and fixing windows with battened shutters with hinges, etc., complete including iron bars	,,	1 12 0	69	120
7	Do do shelves	,,	1 12 0	79	138
8	Providing and fixing honne wood battened shutters on raised roof	,,	1 12 0	48	84
9	Providing and fixing burnt stone slabs for sills and lintels 6" thick	,,	0 12 0	148	111
10	Providing and fixing girders including a coat of paint	Cwt.	12 0 0	41.5	498
11	Roofing with jack arch terrace including 2 courses of flat tiles set in mortar and 4" thick brick jelly concrete laid in fresh lime ½" thick, plastering	Sqr.	48 0 0	10.86	521
12	Plain parapet wall over terrace 1½' high ..	R.ft.	0 8 0	163	82
13	Plastering with mortar ½" thick	Sqr.	4 6 0	45.24	197
14	White washing 2 coats	Sqr.	0 4 6	45.24	13
15	Chocolate painting 2 coats	,,	3 0 0	5.82	17
16	Flooring with 1½" cement concrete on 3" stone jelly concrete and plastering over with ½" thick cement plaster	,,	20 0 0	10.26	205
17	Constructing chimneys in the bath and kitchen	L. S.	..	..	54
18	Providing a stair case to lead up to the terrace including string, raise tread, etc., complete ..	S.ft.	3 0 0	66	200
19	Drainage arrangement	L. S.	..	..	50
20	Providing and constructing partition wall, arrangement between dining and kitchen	L. S.	..	..	75

No.	Items of work	Unit	Rate	Quantity	Cost
			Rs. a. p.		Rs.
21	Sanitary fittings	L. S.	..	..	75
22	Providing and fixing ¼" reinforced glass sky lights imbedded in terrace in bath and kitchen to give lights	Each	25 0 0	2	50
23	Providing burnt stone slabs flooring 3 line dressed	L. S.	..	..	200
	Total ..				3,624
	Contingencies ..				152
	Grand Total ..				3,776

L. A. H. WINCKLER,
Executive Engineer.

MEDICAL DEPARTMENT

KRISHNARAJENDRA HOSPITAL, MYSORE.

Abstract Notice.

Sealed tenders for the supply of Bedding and Clothing required for the use of Krishnarajendra Hospital for the year 1937, will be received from the Durbar Surgeon and Medical Officer, Krishnarajendra Hospital, Mysore, on Saturday the 13th February 1937 at 11 A.M., at Krishnarajendra Hospital, Mysore.

For further particulars, *vide Mysore Gazette*, of 21st January 1937, Part VI, pages 89-90.

J. F. ROBINSON,
Durbar Surgeon and Medical Officer.

MISCELLANEOUS DEPARTMENTS

OFFICE OF THE DIRECTOR OF AGRICULTURE IN MYSORE, BANGALORE.

Abstract Notification dated 26th January 1937.

The attention of the public is invited to this office Notification, dated 4th January 1937, *re*: auctioning of one old bicycle belonging to Marthur Farm at Shimoga Agricultural Depot on 11th February 1937, at 3 P.M.

For further particulars *vide* page 96, Part VI of the *Mysore Gazette*, dated 21st January 1937.

B. SHANKAR RAO BADAMI,
For *Director of Agriculture.*

MYSORE HORTICULTURAL SOCIETY, LAL-BAGH, BANGALORE.

Abstract Notification dated 14th January 1937.

The attention of the public is invited to the detailed Notification published in page 53 of Part VI of the *Mysore Gazette*, dated 14th January 1937, regarding the Horticultural Show to be held at Lal-bagh on the 6th and 7th February 1937.

K. NANJAPPA,
Honorary Secretary.